Journal of Immunological Methods, 144 (1991) 275–276
© 1991 Elsevier Science Publishers B.V. All rights reserved 0022-1759/91/$03.50

Contents to volume 144 (1991)

Number 1 – 5 November 1991

Research reports

CD4 rat × rat and mouse × rat T cell hybridomas produced by fusion of established T cell lines and clones to W/Fu (C58NT)D
A.M.H. Boots, M.J. Van Lierop, M.H.M. Wauben, P.J.S. Van Kooten, E.J. Hensen and W. Van Eden (The Netherlands) 1

Evaluation of monoclonal antibodies to *Listeria monocytogenes* flagella by checkerboard ELISA and cluster analysis
E. Skjerve, W. Bos and B. Van der Gaag (Norway, The Netherlands) 11

Use of microwell plates carrying hydrazide groups to enhance antibody immobilization in enzyme immunoassays
K.L. Brillhart and T.T. Ngo (U.S.A.) 19

Investigation and prevention of artifactual staining in flow cytometric analyses of whole blood samples from patients treated with H65-RTA, an anti-CD5 monoclonal antibody conjugated to ricin A chain
D.M. Fishwild and E.A. Saria (U.S.A.) 27

Synthesis of a monoclonal antibody-indium-111-porphyrin conjugate
C.H. Bedel-Cloutour, L. Maneta-Peyret, M. Pereyre and J.-H. Bezian (France) 35

Computer-assisted image analysis assay of human neutrophil chemotaxis in vitro
P. Jensen and A. Kharazmi (Denmark) 43

Latex immunoassay of transferrin in urine
A. Bernard, K.S. Chia and R. Lauwerys (Belgium) 49

Evaluation of a new human immunodeficiency virus (HIV) antibody detection method based on time-resolved fluoroimmunoassay
H. Ushijima, H. Nakate, H. Kohno and K. Okuda (Japan) 57

A new qualitative method for detecting IgD in unconcentrated cerebrospinal fluid
M. Mavra, R. Luxton, G. Keir, V. Miletic and E.J. Thompson (U.K.) 63

Measurement of cytokine production by the monocytic cell line Mono Mac 6 using novel immunoradiometric assays for interleukin-1β and interleukin-6
B. Rafferty, J.A. Mower, Y.S. Taktak and S. Poole (U.K.) 69

The influence of periodate oxidation on monoclonal antibody avidity and immunoreactivity
R. Abraham, D. Moller, D. Gabel, P. Senter, I. Hellström and K.E. Hellström (U.S.A., F.R.G.) 77

A rapid method for the quantitation of estrogen receptors in small amounts of tissue
E. Bettini and A. Maggi (Italy) 87

Assessment of endothelial immunophenotype – limitation of flow cytometric analysis
K.D. Forsyth and V. Talbot (Australia) 93

Effects of supravital fluorochromes used to analyze the in vivo homing of murine lymphocytes on cellular function
W.E. Samlowski, B.A. Robertson, B.K. Draper, E. Prystas and J.R. McGregor (U.S.A.) 101

Phagocytosis of opsonized oil droplets by neutrophils. Adaptation to a microtiter plate format
H. Rosen, B.R. Michel and A. Chait (U.S.A.) 117

Immunofluorescence-digital image processing system for the quantitation of secreted immunoglobulin by single cells
M. Amano, J.C. Martin, J.R. McGhee, M.J. McCutcheon and H. Kiyono (U.S.A.) 127

Letter to the editors

A cytotoxicity assay for tumour necrosis factor using a human rhabdomyosarcoma cell line
A. Meager (U.K.) 141

Sofware notice 145

Notes to authors 147

Number 2 – 22 November 1991

Research reports

A monoclonal antibody sandwich immunoassay for serum amyloid A (SAA) protein
T.L. McDonald, A. Weber and J.W. Smith (U.S.A.) 149

Transfection of adherent murine peritoneal macrophages with a reporter gene using DEAE-dextran
A.P. Rupprecht and D.L. Coleman (U.S.A.) 157

Increased yields of IgG2a- and IgG3-secreting hybridomas after fusion of B cells from mice with autoimmune diseases
B.W.T. Yin, G.Y. Wong, K.O. Lloyd, H.F. Oettgen and S. Welt (U.S.A.) 165

Determination of immunoreactive fraction and kinetic parameters of a radiolabeled monoclonal antibody in the absence of antigen excess
R. Dux, A. Kindler-Röhrborn, K. Lennartz and M.F. Rajewsky (F.R.G.) 175

T cell adhesion to extracellular matrix molecules secreted by endothelial cells cultured on a substrate of type IV collagen
D.E. Cavender, J. Cearns-Spielman, C.Q. Barrus and D. Dunaway-Piccioni (U.S.A.) 185

Detection of staphylococcal enterotoxin and toxic shock syndrome toxin-1 (TSST-1) by immunoblot combined with a semiautomated electrophoresis system
J.A. Orden, J. Goyache, F.J. Hernández, A. Doménech, G. Suárez and E. Gómez-Lucía (Spain) 197

Assessment of the inhibitory effect of immunosuppressive agents on rat T cell interferon-γ production using an ELISPOT assay
P.H. Van der Meide, A.M. Joosten, P. Hermans, T.C. Kloosterman, T. Olsson and M.C.D.C. De Labie (The Netherlands, Sweden) 203

Studies on the gonococcal IgA1 protease II. Improved methods of enzyme purification and production of monoclonal antibodies to the enzyme
M.S. Blake and C. Eastby (U.S.A.) 215

A fluorometric assay to monitor mitogenic stimulation of human lymphocytes
R. Bialek and H. Abken (F.R.G.) 223

The lymphocytosis promoting action of pertussis toxin can be mimicked in vitro. Holotoxin but not the B subunit inhibits invasion of human T lymphoma cells through fibroblast monolayers
H. Verschueren, J. Dewit, A. Van der Wegen, J. De Braekeleer, G. Van Heule, D. De egel and P. De Baetselier (Belgium) 231

Ascites produced in recalcitrant hybridomas by backcrossing to a parental myeloma
C.E. Mattes, S. Sridhara, P.O. Periman and K.J. Morrow, Jr. (U.S.A.) 241

Short communications

A simple method for the purification of human peripheral blood monocytes. A substitute for Sepracell-MN
E.M. Denholm and F.M. Wolber (U.S.A.) 247

T cell depletion using anti-CD2 coated magnetic beads simplifies the detection of peripheral blood plasma cells
T.E. Witzig, N.J. Gonchoroff, G.A. Ahmann, J.A. Katzmann and P.R. Greipp (U.S.A.) 253

A kinetic assay for eosinophil peroxidase activity in eosinophils and eosinophil conditioned media
S.R. White, G.V.P. Kulp, S.M. Spaethe, E. Van Alstyne and A.R. Leff (U.S.A.) 257

New antigenic determinants revealed on human IgG by binding two immunoblotting membranes
M. Mannik and R.E. Person (U.S.A.) 265

Copper stained protein gels can be efficiently used for immunoblotting
F. Seeber and R. Lucius (Germany) 269

Book review 273

Announcement 274

Contents to volume 144 (1991) 275

Notes to authors 277